



 $C \in$

■ Features

- · Specific component from Japan
- · Saving power, High sensitivity, Easy installation
- Compatible with any light source: Tungsten lamp, Light tube, LED light
- Multi-Function switchablel; OFF delay, Standby brightness, Day/Night functions 3 main settings combination
- 2 years warranty

■ Applications

- Motion detection
- Suitable location: Parking lot, Basement, Staircase, Front door, Porch, Garage, Public toilet

Description

PIR-045 is a photoelectric motion sensor with DC input. when PIR-045 deters movement of human, it will provide a dimming signal PIR-045 can work with a $0\sim10V$ or $1\sim10V$ dimmble led power supply so as to control multiple lighting units simultaneously.


SPECIFICATION

MODEL		PIR-045
INPUT/ OUTPUT	SENSING DISTANCE	6M
	SENSING ANGLE	120°
	OPERATING VOLTAGE	DC12~24V
	CURRENT CONSUMPTION	≦18mA
	OUTPUT DIM	External applied voltage:10V max.; Sink current: 5mA max.
FUNCTION	WORKING PURPOSE	Day / Night
	STANDBY BRIGHT	10%, 20%, 30%, 50%
	DELAY OFF TIME	20s, 1 min, 3min, 5min
	DIMMING MODE	gradually ON and OFF
ENVIRONMENT	OPERATING TEMPERATURE	-10 ~ +40°C
	OPERATING HUMIDITY	35 ~ 85% RH non-condensing
OTHERS	MATERIAL	PC
	DIMENSION	60*71.3mm (D*H)
	PACKING	78g; 160pcs/13.6Kg





File Name:PIR-045-SPEC 2016-06-03












imes Factory setting at day/20s/10%

■ CONNECTION







File Name: PIR-045-SPEC 2016-06-03





■ Mechanical Specification

Unit:mm











File Name: PIR-045-SPEC 2016-06-03